

Sale Name: GREENWOOD, BC-JUNE 15th, 2024

LOT 203 - TMG Industrial 60" Offset Ditch Bank Flail Mower-Unused



Description

Features

- Compatible with 30-60 HP tractors and operable at 540 RPM for powerful, efficient mowing capabilities
- 57" of working width for time-saving, economical mowing of bigger areas such as fields, long ditches, building perimeters and large yards
- Blade rotor shaft driven with three drive belts and protective guards provide forceful energy transfer and safe working output
- Heavy-duty, industrial 660 lb frame built of quality, commercial grade metal will stand up to long working days for many years to come
- Rear roller installed with tractor top link arm to adjust the cutting height for the restoration of high, overgrown areas and uneven terrain
- Hydraulically controlled side to side movement & right side offset with 65° downwards and 90° upwards tilt for versatile cutting capabilities
- Long lasting and durable forged flail hammers grind through tough matted grass, weeds and other overgrown vegetation with ease

- Strong enough to tackle tangled growth and vegetation of all kinds for the reclamation and upkeep of once useable areas
- Adjustable skid shoes mounted on the sides that absorb most of the shock and protect the mower from damage
- Maximum offset distance of 80" from center allows you to trim under low, overhanging tree branches or bushes and maintain hard to reach areas
- 3-point hitch system designed for front to back flotation that produces an even finish on contoured and angled grounds
- Rubber guard and mounting plates to reduce vibrational inconsistencies while also reducing overall wear and tear
- Produces consistent, nicely sized mulch that distributes evenly out the back with no need to extra, unnecessary clean up
- PTO driveline shaft included for easy hook up to your tractor and allows you to draw power directly from its engine
 - Mower size: 63" x 57" x 30" (L x W x H)
 - Product operation weight: 661 lb
 - Tractor power required: 30-60 HP
 - Working width: 57"
 - Offset distance from the center (maximum): 80"
 - Tilt capacity: 65° downwards, 90° upwards
 - Work efficiency: 5380-13,000 yd²/h
 - Category 1, 3-point hitch
 - Adjustable tensioner
 - Replaceable skid shoes
 - Two storage kickstands
 - PTO driveline shaft (included)
 - PTO Turning Speed: 540 RPM
 -
 - This product is packed in a wood crate shipping box
 - Shipping dimension: 67" x 30" x 30" (L x W x H)
 - Shipping weight: 760 lb

Product Description

The TMG-TFMO60 Ditch Bank Flail Mower makes the cutting of uneven, overgrown and sloped terrain efficient and easy to do. Tough, matted grass and weeds are no match for this mower's heavy duty 660 lb frame and forged flail hammers that chew up anything in their path. A hydraulically controlled right side offset can pivot downwards 65° and upwards 90° to maintain an accurate, even cutting finish on ditches, river banks and hilly bevels of all kinds.

Compatible with 30-60 HP tractors and Category 1 three point hitch or Quick-Hitch systems for the ultimate attachment needed at your home, farm or commercial property. The 57" of working width makes the reclaiming or maintenance of a large yard enjoyable, dynamic and cost-effective. Forget the hassle of traditional rotary mowers that constantly jam and clog on unconventional ground. This flail mower chews up wild growth and turns it into a nicely sized mulch that gets distributed evenly out the back with no need for extra, unnecessary clean up.

**TMG Industrial 60" Offset Ditch Bank Flail Mower with 90° Tilt, 3-Point
Hitch, 30-60 HP Tractor, PTO Drive Shaft, TMG-TFMO60**

Quantity: 1



<https://bid.southerninteriorauctions.ca/>