

Sale Name: GREENWOOD, BC-MARCH 29, 2025

LOT 279 - TMG Industrial 70" 3 Point Hitch Rotary Tiller-Unused



Description

Features

- Ideal for 35-55 HP tractors for the reworking and preparation of your acreage, garden, nursery or small hobby farmland
- Designed to prepare soil for seeding applications like vegetable patches or flower beds; breaks through hard grounds and turns up nutrient rich soil
- Forward-rotating tines dig hard into the ground and create well-aerated soil for gardens, seedbeds and overall land health and maintenance
- Low, forceful 243 RPM rotor speed ensures a thorough job is done after just one pass making for a steady, efficient workflow
- Adjustable skid shoes for depth control and adjustable formed rear deflector to keep dirt in and leave an even, levelled layer of soil
- Direct drive central and side gearboxes provide reliable power transmission and easy maintenance

- Included PTO shaft for Category 1 & 2 hookups make this tiller compatible with most tractor makes and models

Specifications

- Compatible with 35-55 HP tractors
- Working width: 70"
- Tilling depth: 6"
- Flanges: 8
- Tines per flange: 6
- Total tine blades: 48
- Rotor shaft: 243 RPM at 540 RPM PTO
- Rotor swing diameter: 19"
- Driveline shaft length: 39-1/4" - 50-3/8" (telescopic)
- Adjustable skid shoes
- Adjustable rear drag board with zinc plated springs
- Included PTO driveline shaft, Category 1 & 2 hookups
- Powder coated finish
- This product is packed in a metal crate shipping box
- Shipping dimension: 85" x 28" x 30" (L x W x H)
- Shipping weight: 870 lb
-

Product Description

The TMG-RT175 3-Point Hitch Rotary Tiller prepares your garden beds, nursery or hobby farm for seeding applications, landscaping and overall long-term land health and maintenance. Bring new life to your dirt by turning up old, tired grounds to reveal the fresh, nutrient rich soil available underneath. Comes with an included PTO shaft for Category 1 and 2 hookups and is compatible with most 35-55 HP tractors.

48 replaceable heavy-duty tines powerfully dig into the ground at a low, forceful speed of 243 RPM. This ensures a thorough, efficient reworking of the land after just one pass and leaves a beautiful layer of organic material settled evenly on top. Critical process for proper aeration and eco-diversity amongst the different sediments and starts to improve growing potential immediately.

Adjustable skid shoes allow you to control the tilling depth up to a maximum of 6", and the 70" width makes quick work of larger plots. Minor assembly required and easy to access gear boxes for simple maintenance over time. Enclosed side gearbox protects your power transmission and a powder coated finish ensures a dependable, long-lasting piece of equipment for you and your property.

TMG Industrial 70" 3-Point Hitch Rotary Tiller, 35-55 HP Tractor, 6"

Tilling Depth, PTO Shaft Included, Category 1 & 2 Hookup, TMG-RT175

Quantity: 1



<https://bid.southerninteriorauctions.ca/>